

Hefei TNJ Chemical Industry Co.,Ltd.

B911 Xincheng Business Center, Qianshan Rd. Hefei 230022 China

Tel: (0086) 551 65418695
Fax: (0086) 551 65418697
Email: info@tnjchem.com
Site: www.tnjchem.com

Technical Data Sheet

Sodium Gluconate

Product Information

Chemical Name Sodium Gluconate

CAS # 527-07-1

Formula C6H11NaO7

Molecular Weight 218.14

Synonyms Gluconic Acid Sodium; Sodium gluconate; D-Gluconic acid monosodium salt

Chemical Structure

Description

Sodium gluconate composed with many hydroxyl named five hydroxyl sodium acid. It is white or brown yellow crystalline powder or granule, easy dissolved water, just slowly solidify it be widely used in construction, wash, food and medicine industry. Along with strong the country construction and high quality, the new development of washing industry.

Physical Properties

Melting point, °C . 206-209

Specification

Item	Standard		
	Industrial Grade	Food Grade	Refining Grade
Identifications	Meet the requirements	Meet the requirements	Meet the requirements
Assay, %	≥ 98.0	98.0 ~ 102.0	99.0 ~ 102.0
Drying Loss, %	≤ 0.50	≤ 0.30	≤ 0.30
Heavy Metal, μg/g	≤ 10	≤ 10	≤ 10
Sulphate, %	≤ 0.05	≤ 0.05	≤ 0.05
Chloride, %	≤ 0.07	≤ 0.07	≤ 0.07
Reduzate, %	≤ 0.70	≤ 0.50	≤ 0.50
Lead, μg/g	≤ 2	≤ 1	≤ 1
Solubility(1.0g , 10ml water)		Colorless, almost clear	Colorless, almost clear
PH	6.2 ~ 7.8	6.2 ~ 7.8	6.2 ~ 7.8
Arsenic salt,µg/g	≤ 2	≤ 2	≤ 2

Safety

Always refer to the Material Safety Data Sheet (MSDS)

Applications

- **1. Chelate for cement**: fixed amount of sodium gluconate in cement, then make the concrete strong and random. It can be delay the first time and the last time for solidity.
- **2. For Medicine Industry**: adjust the body acid-base balance to restore the normal nerve. For the same purpose apply to food additives
- **3. Cleaning Agent for Steel Surface**: the steel surface must be exacting cleaning before plate Bo, Cr, Sn, Ni, then it can be integrated well. Now the sodium gluconate play a very important effect.
- **4. Special Cleaning Agent for Glass Bottle**: main ingredient is sodium gluconate, this cleaning agent can improve those problems: can't remove dirt directly. Block the nozzle and the pipeline. Residue after washing is not ideal edible security, after wash water caused public nuisance.
- 5. For panting and film industry
- 6. For Food Industry: produce additive prevent low sodium

Packaging

25kg per bag. 24mt per 20ft container

Storage & Handling

Always refer to the Material Safety Data Sheet (MSDS) for detailed information on handling and disposal.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchant ability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if we has been advised of the possibility of such damages.

Hefei TNJ Chemical Industry Co.,Ltd.

B911 Xincheng Business Center Qianshan Road, Hefei 230022 Anhui China (0086) 551 65418695

(0086) 551 65418697 info@tnjchem.com

Site: www.tnjchem.com

Tel:

Fax:

Email: