

# Material Safety Data Sheet

#### Hefei TNJ Chemical Industry Co.,Ltd.

B911 Xincheng Business Center, Qianshan Rd. Hefei 230022 China

Tel: (0086) 551 65418695
Fax: (0086) 551 65418697
Email: info@tnjchem.com
Site: www.tnjchem.com

# Cyromazine

# **Section 1: Chemical Product and Company Identification**

Product Name: **CYROMAZINE** 

EPA Signal Word: Caution

Chemical Name: N-cyclopropyl-1,3,5-triazine-2,4,6-triamine Chemical Class: Substituted Melamine (Triazine) Insecticide

**Contact Information for Emergency:** (0086) 551 67199489

#### Hefei TNJ Chemical Industry Co., Ltd.

B911 Xincheng Business Center Tel: (0086) 551 65418695

Qianshan Road, Hefei Fax: (0086) 551 65418697

230004Anhui Email: info@tnjchem.com

China Site: www.tnjchem.com

# Section 2: Composition and Information on IngredientsCompositionCAS No.Content %Cyromazine66215-27-898.0Other ingredients2.0

#### **Section 3: Hazards Identification**

# Notes to Physician

There is no specific antidote if this product is ingested.

If a large amount has been ingested and emesis is inadequate, lavage stomach.

Treat symptomatically.

An aqueous suspension of activated charcoal can be administered to absorb remaining toxicant.

Symptoms of Acute Exposure

Exposure may cause irritation of eyes, skin or upper respiratory tract.

**Hazardous Decomposition Products** 

None Known

**Physical Properties** 

Appearance: White crystal powder Odor: inodorous or inodorous almost

Unusual Fire, Explosion and Reactivity Hazards

This material presents a slight dust explosion hazard.

#### **Section 4: First Aid Measures**

If poisoning is suspected, immediately contact a physician, the nearest hospital, or the nearest Poison Control Center. Tell the person contacted the complete product name, and the type and amount of exposure. Describe any symptoms and follow the advice given.

Ingestion: If victim is fully conscious, give a large quantity of water to drink and induce vomiting. Never give anything by mouth to an unconscious person.

**Eye Contact:** Immediately rinse eyes with a large amount of running water. Hold eye lids apart to rinse the entire surface of the eyes and lids. Do not apply any medicating agents except on the advice of a physician.

**Skin Contact:** Wash with plenty of soap and water, including hair and under fingernails. Do not apply any medicating agents except on the advice of a physician. Remove contaminated clothing and decontaminate prior to use.

**Inhalation:** Move victim from contaminated area to fresh air. Apply artificial respiration if necessary.

Notes to Physician

There is no specific antidote if this product is ingested.

If a large amount has been ingested and emesis is inadequate, lavage stomach.

Treat symptomatically.

An aqueous suspension of activated charcoal can be administered to absorb remaining toxicant.

Medical Condition Likely to be Aggravated by Exposure

Individuals with pre-existing respiratory disorders should use extra care in handling this product.

# **Section 5: Fire and Explosion Data**

Fire and Explosion

Flash Point (Test Method): Not Available

Flammable Limits (% in Air): Lower: %; Upper: % Not Applicable

Autoignition Temperature: Not Applicable

Flammability: Not Flammable

Unusual Fire, Explosion and Reactivity Hazards This material presents a slight dust explosion hazard.

In Case of Fire

Use dry chemical, foam, or CO<sub>2</sub> extinguishing media. Wear full protective clothing and selfcontained breathing apparatus. Evacuate nonessential personnel from the area to prevent

human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated.

#### **Section 6: Accidental Release Measures**

In Case of Spill or Leak

Wear chemical safety glasses with side shields or chemical goggles, rubber gloves, rubber boots, long-sleeved shirt, long pants, head covering, and use a particulate filter, NIOSH approved per 42 CFR Part 84. Select N or R or P type as appropriate for the oil characteristics of any other air contaminants present. Filter efficiency may range from 95 - 99.97% as appropriate for the size distribution of dusts present.

For small spills, sweep up, keeping dust to a minimum, and place in an approved chemical container. Wash the spill area with water containing a strong detergent, absorb with pet litter or other absorbent material, sweep up and place in a chemical container. Seal the container and handle in an approved manner.

Flush the area with water to remove any residue. Do not allow wash water to contaminate water supplies.

# Section 7: Handling and Storage

Store the material in a well-ventilated, secure area out of the reach of children and domestic animals

Do not store food, beverages or tobacco products in the storage area.

Prevent eating, drinking, tobacco usage, and cosmetic application in areas where there is a potential for exposure to the material.

Always wash thoroughly after handling.

#### Section 8: Exposure Controls/Personal Protection

Ingestion: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Always wash thoroughly after handling.

Eye Contact: To avoid eye contact, wear safety glasses with side shields or chemical goggles. Skin Contact: To avoid skin contact, wear rubber gloves, rubber boots, long-sleeved shirt, long

pants and a head covering.

Inhalation: To avoid breathing dust, use a particulate filter, NIOSH approved per 42 CFR Part

84. Select N or R or P type as appropriate for the oil characteristics of any other

air contaminants present. Filter efficiency may range from 95 - 99.97% as

appropriate for the size distribution of dusts present.

Applicators/Handlers: Please refer to the product label for personal protectiveClothing /

equipment.

# **Section 9: Physical and Chemical Properties**

Appearance: White or beige powder Odor: inodorous or inodorous almost

Boiling Point: Not Applicable

Specific Gravity/Density: 20.17 lbs./cu.ft.

pH: 5.0-8.0 Solubility in H<sub>2</sub>O

Cyromazine: 8.0 g/L @ 25°C

Vapor Pressure

Cyromazine: 1.80E-04 mPa @ 20°C

# Section 10: Stability and Reactivity Data

Reactivity

Stability: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid: None Known Hazardous Decomposition Products

None Known

# Section 11: Toxicological Information

Acute Toxicity/Irritation Studies

Ingestion: slightly toxic

Oral LD50 (Rat): 4,460 mg/kg body weight

Dermal: slightly toxic

Dermal LD50 (Rabbit): > 2,010 mg/kg body weight

Inhalation: slightly toxic

Inhalation LC50 (Rat) : > 2.5 mg/l air - 4 hours

Eye Contact: mildly irritating (Rabbit)
Skin Contact: moderately irritating (Rabbit)
Skin Sensitization: Not a sensitizer (Guinea Pig)

Mutagenic Potential

Cyromazine: None observed

Reproductive Hazard Potential

Cyromazine: None observed

Chronic/Subchronic Toxicity Studies

Cyromazine: None observed

Carcinogenic Potential

Cyromazine: None observed Other Toxicity Information

Not Available

**Toxicity of Other Components** 

Amorphous Silica:

Amorphous Silica is listed as an IARC (Group 3) carcinogen not classifiable as human arcinogen (No Data Available) with limited animal evidence. Prolonged exposure to Amorphous Silica may cause damage to respiratory system and irritation to skin and eyes.

Kaolin Clay

Long term overexposure to high concentrations of this dust without the use of a respirator may produce x-ray evidence of dust in the lungs and may affect respiratory function.

Surfactant

Exposure can result in eye, skin and respiratory tract irritation.

Target Organs

Active Ingredients

Cyromazine: : None Known

**Inert Ingredients** 

Amorphous Silica: Respiratory Tract, Skin and Eyes

Kaolin Clay: Respiratory Tract

Surfactant: Eyes, Skin and Respiratory Tract

# Section 12: Ecological Information

Summary of Effects

Cyromazine:

Slightly toxic to birds and fish, and moderately toxic to aquatic invertebrates.

**Eco-Acute Toxicity** 

Cyromazine: Rainbow Trout 96-hour LC50 51 mg/l

Bluegill Sunfish 96-hour LC50 90 mg/l

Daphnia magna 48-hour LC50 9.1 mg/l

Bobwhite Oral LD50 1,785 mg/kg

Mallard Oral LD50 >2,510 mg/kg

Bobwhite 8-day Dietary LC50 >5,620 ppm

Mallard 8-day Dietary LC50 >5,620 ppm

**Eco-Chronic Toxicity** 

Cyromazine: Fish (Fathead minnow) Early Life Stage MATC 22 mg/l

Invertebrate (Daphnia Magna) Life Cycle MATC 0.45 mg/l

Environmental Fate:

Cyromazine:

Not Available

# **Section 13: Disposal Considerations**

# Disposal

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste Not Applicable

Listed Waste: Not Applicable

# Section 14: Transport Information

DOT Classification:

Not Applicable; No Label or Placard Required

B/L Freight Classification

Insecticides or Fungicides; Agricultural, N.O.S.

**International Transportation** 

Not Applicable

# Section 15: Other Regulatory Information

SARA Title III Classification

Section 311/312: Acute Health Hazard

Chronic Health Hazard

Section 313 chemical(s): Not Applicable

Proposition 65

Not Applicable

CERCLA Reportable Quantity (RQ)

None

**RCRA Classification** 

Not Applicabl

**TSCA Status** 

Exempt from TSCA

#### Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Reversion Date: June 01, 2011

Version No.: 20110601002

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we m be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if we have been advised of the possibility of such damages.